



Scope of application

Applicable to: Villa courtyard, outdoor square, factory warehouse, country road, etc.

Product Details



High quality tempered glass



High brightness multi-lamp beads



Waterproof male and female connection cable



ABS housing, high heat dissipation



Floodlight, Spotlight

Product Features

- Outdoor rain and lightning protection, rainy days without power
- High bright multi-lamp bead design, soft light, uniform brightness
- ABS shell, impact resistance, aging resistance, corrosion resistance, long service life
- New lithium battery, daytime charging, night lights, rain and cloudy days without power
- Polycrystalline silicon solar panels, high conversion rate, fast charging speed, zero electricity costs throughout the year
- Explosion-proof tempered glass, longer service life

Basic parameters



WATTAGE	LAMP BODY SIZE	SOLAR PANELS	LAMP BEADS	MATERIAL	MODE	BATTERY CAPACITY	LIGHTING TIME
10W	130X120X37mm	3W,155X140mm	LED(2835) 44PCS	ABS	Light control +remote control	1500MAH	8-12H
25W	205X160X53mm	5W,220X135mm	LED(2835) 79PCS	ABS	Light control +remote control	4000MAH	8-12H
40W	250X200X68mm	8W,270X180mm	LED(2835) 110PCS	ABS	Light control +remote control	5000MAH	8-12H
60W	280X225X78mm	10W,350X235mm	LED(2835) 143PCS	ABS	Light control +remote control	8000MAH	8-12H
100W	280x225X78mm	15W,350X300mm	LED(2835) 274PCS	ABS	Light control +remote control	10000MAH	8-12H
200W	325X260X88mm	25W,350X350mm	LED(2835) 572PCS	ABS	Light control +remote control	15000MAH	8-12H
300W	350X290X75mm	25W,450X350mm	LED(2835) 918PCS	ABS	Light control +remote control	18000MAH	8-12H



Scope of application

Applicable to Villa courtyard, outdoor square, factory warehouse, country road, etc.

Product Details



Charging capacity indicator



4 in 1 lamp beads



Waterproof male and female connection cable



Adjustable lighting angle



Floodlight, Spotlight

Product Features

- Outdoor rain and lightning protection, rainy days without power
- One hole four beads, more beads brighter
- ABS shell, impact resistance, aging resistance, corrosion resistance, long service life
- New lithium battery, daytime charging, night lights, rain and cloudy days without power
- Polycrystalline silicon solar panels, high conversion rate, fast charging speed, zero electricity costs throughout the year
- With power indicator, power usage is clear at a glance

Basic parameters



WATTAGE	LAMP BODY SIZE	SOLAR PANELS	LAMP BEADS	MATERIAL	MODE	BATTERY CAPACITY	LIGHTING TIME
15W	171X148X40mm	2W,125X135mm	LED(2835) 72PCS	ABS	Light control +remote control	1500MAH	8-12H
25W	176X209X50mm	3W,130X215mm	LED(2835) 128PCS	ABS	Light control +remote control	4000MAH	8-12H
40W	219X253X60mm	8W,180X270mm	LED(2835) 200PCS	ABS	Light control +remote control	6000MAH	8-12H
60W	240X275X64mm	12W,350X235mm	LED(2835) 340PCS	ABS	Light control +remote control	8000MAH	8-12H
100W	324X280X73mm	15W,350X290mm	LED(2835) 360PCS	ABS	Light control +remote control	10000MAH	8-12H
200W	305X356X73mm	18W,350X350mm	LED(2835) 644PCS	ABS	Light control +remote control	15000MAH	8-12H

Solar Fan TF-6



A: Small size, strong wind power, working time 4-6H

B: Supports Bluetooth connection, can play voice and music

C: Equipped with a water tank, it can quickly cool down

D: Equipped with light bulbs for illumination purposes

Black Knight Series



- 
Solar Charging
- 
IP67 waterproof
- 
Light Control
- 
Remote Control




- ▶ Patent product, exclusive sales
- ▶ Alloy materials, strong durability

POWER	SIZE	DETAIL	WORKING HOURS	USE HEIGHT
100W	270*170*50MM	4800MAH/3W	10H	3-4 MERERS
200W	270*170*50MM	7200MAH/3W	12H	4-5 MERERS
300W	270*170*50MM	10800MAH/3W	12H	5-6 MERERS

Star Shine Series

High light beads outdoor waterproof widely used

SOLAR FLOOD LIGHT



- 
Solar Charging
- 
IP67 waterproof
- 
Light Control
- 
Remote Control



- ▶ Patent product, exclusive sales
- ▶ Alloy materials, strong durability

POWER	SIZE	DETAIL	WORKING HOURS	USE HEIGHT
100W	270*180*16MM	5000MAH/8W	10H	3-4 MERERS
200W	290*350*16MM	10000MAH/15W	12H	4-5 MERERS
300W	350*350*16MM	15000MAH/18W	12H	5-6 MERERS
400W	450*350*16MM	20000MAH/25W	14H	6-8 MERERS

Moonlight Hero Series




ETENDA LIGHTING

16+ years
OEM/ODM

Single lens

3-sided illumination

High-brightness lighting



- 
Solar Charging
- 
IP67 waterproof
- 
Light Control
- 
Remote Control

- ▶ Patent product, exclusive sales
- ▶ Alloy materials, strong durability

POWER	SIZE	DETAIL	WORKING HOURS	USE HEIGHT
100W	251*202*70MM	5000MAH/8W	10H	3-4 MERERS
200W	294*229*69MM	10000MAH/12W	12H	4-5 MERERS
300W	333*253*72MM	12000MAH/15W	12H	4-5 MERERS
400W	372*277*72MM	18000MAH/20W	14H	5-6 MERERS

Star Journey SERIES

Remote control

Control within 10 meters




- 
Solar Charging
- 
IP67 waterproof
- 
Light Control
- 
Remote Control

- ▶ Patent product, exclusive sales
- ▶ Alloy materials, strong durability

POWER	SIZE	DETAIL	WORKING HOURS	USE HEIGHT
100W	230*172*40MM(Radar function)	6000MAH/10W	8H	3-4 MERERS
200W	230*172*40MM(Radar function)	10000MAH/20W	12H	4-5 MERERS
300W	267*190*45MM(Radar function)	15000MAH/30W	12H	4-5 MERERS
400W	267*190*45MM(Radar function)	20000MAH/40W	14H	5-6 MERERS

Star SERIES



- 
Solar Charging
- 
IP67 waterproof
- 
Light Control
- 
Remote Control




- ▶ Patent product, exclusive sales
- ▶ Alloy materials, strong durability

POWER	SIZE	DETAIL	WORKING HOURS	USE HEIGHT
200W	240*210*40MM(Radar function)	10000MAH/20W	10H	3-4 MERERS
300W	240*210*40MM(Radar function)	15000MAH/30W	12H	4-5 MERERS
400W	280*250*45MM(Radar function)	20000MAH/40W	12H	5-6 MERERS
500W	280*250*45MM(Radar function)	30000MAH/45W	14H	6-8 MERERS

EXPLORER SERIES

High-Efficiency LED Flood Light



- 
Solar Charging
- 
IP67 waterproof
- 
Light Control
- 
Remote Control



- ▶ Patent product, exclusive sales
- ▶ Aluminum material, strong durability
- ▶ Curved screen with three sides emitting light

POWER	SIZE	DETAIL	WORKING HOURS	USE HEIGHT
200W	258*215*76MM	15000MAH/18W	8H	3-4 MERERS
300W	300*200*76MM	30000MAH/30W	12H	4-5 MERERS
500W	335*270*82MM	36000MAH/45W	12H	5-6 MERERS
800W	365*315*85MM	40000MAH/50W	14H	6-8 MERERS

SOLAR INTEGRATED STREET LIGHT

WARM GUARD | LIGHT THE WAY HOME



Product Features

- Optical reflector, wide lighting range, high brightness, uniform light color
- Human radar induction, people come to the light full bright, people leave the light slightly bright, energy-saving power saving
- Original large-capacity lithium iron phosphate battery, long battery life, rain and cloudy days without power
- Polycrystalline silicon solar panels, high conversion rate, fast charging speed, year-round 0 electricity costs
- Intelligent light control, automatic charging during the day, automatic light at night
- Outdoor rain and lightning protection, bad rainy days can also be used normally



Scope of application

Applicable to Villa courtyard, outdoor square, factory warehouse, country road, etc.



Radar sensor + light control



Optical reflector



Front battery pack
Easy replacement



Thickened ABS shell



Basic parameters

WATTAGE	LAMP BODY SIZE	SOLAR PANELS	LAMP BEADS	MATERIAL	MODE	BATTERY CAPACITY	CCT
60W	388X193mm	8W, 187X300mm	LED(5730) 56PCS	ABS	Human body sensor + remote control	5000MAH	8000K
90W	484X218mm	10W, 213X398mm	LED(5730) 112PCS	ABS	Human body sensor + remote control	10000MAH	8000K
150W	620X238mm	15W, 231X508mm	LED(5730) 168PCS	ABS	Human body sensor + remote control	12000MAH	8000K
200W	720x240mm	18W, 2315x608mm	LED(5730) 224PCS	ABS	Human body sensor + remote control	15000MAH	8000K
300W	820x240mm	20W, 2315x708mm	LED(5730) 280PCS	ABS	Human body sensor + remote control	18000MAH	8000K

Iron Man series

Faster charging,

Faster charging, longer working time,
higher brightness, smaller size



-  Solar Charging
-  P67 waterproof
-  Light Control
-  Remote Control

The world's first foldable solar street light:


faster charging,
longer working time,
higher brightness,
smaller size



A modern, grey street light pole stands in a city square at night. The light fixture is a long, rectangular array of LEDs, and a camera is mounted below it. The scene is illuminated by the light pole and other city lights, with a wet pavement reflecting the lights. The background shows a city street with buildings and other streetlights.

Smart Lighting for Safer Communities

Batman series



- 
Solar Charging
- 
IP67 waterproof
- 
Light Control
- 
Remote Control



- ▶ Patent product, exclusive sales
- ▶ Curved screen with three sides emitting light
- ▶ Latest ABS material, will not oxidize for 10 years

PREMIUM ULTRA-BRIGHT LED BEADS

POWER	SIZE	DETAIL	WORKING HOURS	USE HEIGHT
300W	660x266x55MM	15000MAH/20W	12H	3-4 MERERS
400W	790x266x55MM	20000MAH/25W	12H	5-6 MERERS

Angel Series

NEW DESIGN

ZL-16 Series Integrated Solar Street Light



- High Cost Performance
- High Quality
- High Brightness
- Remote Control
- Human Body Induction
- Adjustable Bracket
- 3 cloudy rainy days
- Ip65 Waterproof



- Solar Charging
- P67 waterproof
- Light Control
- Remote Control



- ▶ Patent product, exclusive sales
- ▶ Curved screen with three sides emitting light
- ▶ Latest ABS material, will not oxidize for 10 years

POWER	SIZE	DETAIL	WORKING HOURS	USE HEIGHT
300W	707x266x60MM	25000MAH/25W	12H	3-6 MERERS
400W	830x266x60MM	30000MAH/30W	12H	6-8 MERERS

Galaxy series

NEW DESIGN

ZL-17 Series Integrated Solar Street Light



- High Cost Performance
- High Quality
- High Brightness
- Remote Control
- Human Body Induction
- Adjustable Bracket
- 7-8 Cloudy/Rainy Days
- Ip65 Waterproof



- Solar Charging
- P67 waterproof
- Light Control
- Remote Control



- ▶ Patent product, exclusive sales
- ▶ Curved screen with three sides emitting light
- ▶ Latest ABS material, will not oxidize for 10 years

POWER	SIZE	DETAIL	WORKING HOURS	USE HEIGHT
300W	695x234x60MM	25000MAH/25W	12H	3-6 MERERS
400W	815x234x60MM	30000MAH/30W	12H	6-8 MERERS

Elegant Baron Series



- 
Solar Charging
- 
IP67 waterproof
- 
Light Control
- 
Remote Control

- ▶ Patent product, exclusive sales
- ▶ Aluminum material, strong durability
- ▶ Curved screen with three sides emitting light



POWER	SIZE	DETAIL	WORKING HOURS	USE HEIGHT
300W	647x234x60MM	20000MAH/20W	12H	3-4 MERERS
400W	805x234x60MM	25000MAH/25W	12H	5-6 MERERS

Phantom SERIES



- 
Solar Charging
- 
IP67 waterproof
- 
Light Control
- 
Remote Control



- ▶ Patent product, exclusive sales
- ▶ Curved screen with three sides emitting light
- ▶ Latest ABS material, will not oxidize for 10 years

POWER	SIZE	DETAIL	WORKING HOURS	USE HEIGHT
200W	675*325*95MM	10000MAH/15W	8H	3-4 MERERS
300W	675*325*95MM	25000MAH/25W	12H	4-5 MERERS
400W	775*325*95MM	25000MAH/30W	12H	5-6 MERERS
500W	775*325*95MM	30000MAH/40W	14H	6-8 MERERS

Radiant Series

Induction solar lights




IP65 waterproof lamp body

Energy
Solar

Power supply is
continuous in rainy days.



5054 lamp beads



Solar Charging



IP67 waterproof



Light Control




Remote Control



- ▶ Patent product, exclusive sales
- ▶ Aluminum material, strong durability
- ▶ Curved screen with three sides emitting light

POWER	SIZE	DETAIL	WORKING HOURS	USE HEIGHT
300W	647x234x60MM	20000MAH/20W	12H	3-4 METERS
400W	805x234x60MM	25000MAH/25W	12H	5-6 METERS

Black Diamond Series



IP65 WATERPROOF

Durable In Outdoor Harsh Weather



🔥 Heat-Resisting



❄️ Cold Resistance



Solar Charging



IP67 waterproof



Light Control



Remote Control



- ▶ Patent product, exclusive sales
- ▶ Aluminum material, strong durability
- ▶ Curved screen with three sides emitting light

POWER	SIZE	DETAIL	WORKING HOURS	USE HEIGHT
300W	647x234x60MM	20000MAH/20W	12H	3-4 MERERS
400W	805x234x60MM	25000MAH/25W	12H	5-6 MERERS

Flying Eagle Series



**Solar LED street light
for project use**



Solar Charging



IP67 waterproof



Light Control




Remote Control

- ▶ Patent product, exclusive sales
- ▶ Aluminum material, strong durability
- ▶ Curved screen with three sides emitting light



POWER	SIZE	DETAIL	WORKING HOURS	USE HEIGHT
300W	530*230*100MM	35000MAH/40W	10H	3-4 MERERS
400W	530*230*100MM	45000MAH/50W	12H	4-5 MERERS
500W	580*230*100MM	60000MAH/80W	14H	6-7 MERERS
800W	580*230*100MM	80000MAH/100W	14H	8-10 MERERS

Bumblebee series



Solar Charging



P67 waterproof



Light Control




Remote Control



- ▶ Patent product, exclusive sales
- ▶ Aluminum material, strong durability
- ▶ Curved screen with three sides emitting light

POWER	SIZE	DETAIL	WORKING HOURS	USE HEIGHT
300W	530*230*100MM	35000MAH/40W	10H	3-4 MERERS
400W	530*230*100MM	45000MAH/50W	12H	4-5 MERERS
500W	580*230*100MM	60000MAH/80W	14H	6-7 MERERS
800W	580*230*100MM	80000MAH/100W	14H	8-10 MERERS

Knight Series



Solar Charging



P67 waterproof



Light Control



Remote Control



- ▶ Patent product, exclusive sales
- ▶ Aluminum material, strong durability
- ▶ Curved screen with three sides emitting light



POWER	SIZE	DETAIL	WORKING HOURS	USE HEIGHT
300W	530*230*100MM	35000MAH/40W	10H	3-4 MERERS
400W	530*230*100MM	45000MAH/50W	12H	4-5 MERERS
500W	580*230*100MM	60000MAH/80W	14H	6-7 MERERS
800W	580*230*100MM	80000MAH/100W	14H	8-10 MERERS

Interstellar No.1



- 
Solar Charging
- 
P67 waterproof
- 
Light Control
- 
Remote Control



- ▶ Patent product, exclusive sales
- ▶ Aluminum material, strong durability
- ▶ Curved screen with three sides emitting light



POWER	SIZE	DETAIL	WORKING HOURS	USE HEIGHT
300W	530*230*100MM	35000MAH/40W	10H	3-4 MERERS
400W	530*230*100MM	45000MAH/50W	12H	4-5 MERERS
500W	580*230*100MM	60000MAH/80W	14H	6-7 MERERS
800W	580*230*100MM	80000MAH/100W	14H	8-10 MERERS

CONQUEROR SERIES



Solar Charging



P67 waterproof



Light Control



Remote Control



- ▶ Patent product, exclusive sales
- ▶ Aluminum material, strong durability
- ▶ Curved screen with three sides emitting light

POWER	SIZE	DETAIL	WORKING HOURS	USE HEIGHT
300W	530*230*100MM	35000MAH/40W	10H	3-4 MERERS
400W	530*230*100MM	45000MAH/50W	12H	4-5 MERERS
500W	580*230*100MM	60000MAH/80W	14H	6-7 MERERS
800W	580*230*100MM	80000MAH/100W	14H	8-10 MERERS

Spirit Snake Series



- 
Solar Charging
- 
P67 waterproof
- 
Light Control
- 
Remote Control



POWER	SIZE	DETAIL	WORKING HOURS	USE HEIGHT
400W	650*320*95MM	40000MAH/50W	12H	5-6 MERERS
600W	650*320*95MM	50000MAH/60W	14H	6-7 MERERS
1000W	650*320*95MM	70000MAH/80W	16H	7-8 MERERS
1200W	650*320*95MM	100000MAH/120W	18H	8-10 MERERS

Challenger 1 SERIES



- 
Solar Charging
- 
IP67 waterproof
- 
Light Control
- 
Remote Control



- ▶ High lumen output, brightness increased 30% by Teijin lens
- ▶ Convenient installation, electricity free
- ▶ Nano ABS material with a service life of up to 10 years

POWER	SIZE	DETAIL	WORKING HOURS	USE HEIGHT
800W	700*300*145MM	30000MAH/45W	12H	3-4 MERERS
1200W	820*230*145MM	45000MAH/40W	14H	4-5 MERERS

Challenger 2 SERIES



- 
Solar Charging
- 
P67 waterproof
- 
Light Control
- 
Remote Control



- ▶ Low power consumption program, 24H monitoring
- ▶ Stable Signal both 4G/Wifi available
- ▶ 365 days lighting during radar mode
- ▶ Camera rotated with 360degree, no blind angle monitoring

POWER	SIZE	DETAIL	WORKING HOURS	USE HEIGHT
800W	700*300*145MM	36000MAH/30W	12H	3-4 MERERS
1200W	820*230*145MM	54000MAH/40W	16H	4-5 MERERS

Challenger 3 SERIES



- 
Solar Charging
- 
P67 waterproof
- 
Light Control
- 
Remote Control



- ▶ Low power consumption program, 24H monitoring
- ▶ Stable Signal both 4G/Wifi available
- ▶ 365 days lighting during radar mode
- ▶ Camera rotated with 360degree, no blind angle monitoring

POWER	SIZE	DETAIL	WORKING HOURS	USE HEIGHT
300W	932*365*160MM	60000MAH/60W	14H	5-6 MERERS
500W	1122*365*160MM	75000MAH/75W	16H	6-8 MERERS
800W	1342*365*160MM	105000MAH/90W	18H	8-10MERERS
1200W	1672*365*160MM	150000MAH/110W	18H	10-12 MERERS

Challenger 4 SERIES



Solar monitoring street lights

Equipped with 400M(1440P)HD chip and lens ensure the high definition wide ndictures.



- 
Solar Charging
- 
IP67 waterproof
- 
Light Control
- 
Remote Control




- ▶ Patent product, exclusive sales
- ▶ Curved screen with three sides emitting light
- ▶ Latest ABS material, will not oxidize for 10 years

POWER	SIZE	DETAIL	WORKING HOURS	USE HEIGHT
300W	932*365*160MM	75000MAH/60W	14H	5-6 MERERS
500W	1122*365*160MM	90000MAH/75W	16H	6-8 MERERS
800W	1342*365*160MM	120000MAH/90W	18H	8-10MERERS
1200W	1672*365*160MM	165000MAH/110W	20H	10-15 MERERS



ALUMINUM PROFILE INTEGRATED SOLAR STREET LAMP




PRODUCT PARAMETERS

Model	ZLMT78-100W	ZLMT78-150W	ZLMT78-200W	ZLMT78-300W
Control Mode	Light Control+ Remote Control			
Solar Panel	MONO(5V/23W)	MONO(5V/30W)	MONO(5V/33W)	MONO(5V/40W)
Battery	LiFe PO4-3.2V/ 24000mAh	LiFe PO4-3.2V/ 30000mAh	LiFe PO4-3.2V/ 36000mAh	LiFe PO4-3.2V/ 42000mAh
Led Chip	54PCS SMD 5054	72PCS SMD 5054	90PCS SMD 5054	108PCS SMD 5054
Material	Aluminum Die - Casting+ Optical Lens			
IP Rate	IP 65	IP 65	IP 65	IP 65
Radar Sensing	YES	YES	YES	YES
Charging Time	4-6h	4-6h	4-6h	4-6h
Color Temperature	3000-7500K	3000-7500K	3000-7500K	3000-7500K
Lamp Size	750*237*4mm	900*237*48mm	1000*237*48mm	1150*237*48mm
Installation Height	3-4M	4-5M	5-6M	6-7M
Irradiation Area	200m ²	240m ²	300m ²	360m ²





ALUMINUM PROFILE INTEGRATED SOLAR STREET LAMP




PRODUCT PARAMETERS

Model	ZL78-100W	ZL78-150W	ZL78-200W	ZL78-300W
Control Mode	Light Control+ Remote Control			
Solar Panel	MONO(5V/23W)	MONO(5V/30W)	MONO(5V/33W)	MONO(5V/40W)
Battery	LiFe PO4-3.2V/ 24000mAh	LiFe PO4-3.2V/ 30000mAh	LiFe PO4-3.2V/ 36000mAh	LiFe PO4-3.2V/ 42000mAh
Led Chip	90PCS SMD 5054	135PCS SMD 5054	180PCS SMD 5054	225PCS SMD 5054
Material	Aluminum + Optical Lens			
IP Rate	IP 65	IP 65	IP 65	IP 65
Radar Sensing	YES	YES	YES	YES
Charging Time	4-6h	4-6h	4-6h	4-6h
Color Temperature	3000-7500K	3000-7500K	3000-7500K	3000-7500K
Lamp Size	700*215*48mm	850*211*48mm	950*211*48mm	1050*211*48mm
Installation Height	3-4M	4-5M	5-6M	6-7M
Irradiation Area	200m ²	240m ²	300m ²	360m ²





ALUMINUM PROFILE INTEGRATED SOLAR STREET LAMP




PRODUCT PARAMETERS

Model	ZL80-200W	ZL80-300W	ZL80-400W	ZL80-500W
Control Mode	Light Control+ Remote Control			
Solar Panel	MONO(5V/65W)	MONO(5V/85W)	MONO(5V/100W)	MONO(5V/120W)
Battery	LiFe PO4- 60AH	LiFe PO4- 80AH	LiFe PO4- 100AH	LiFe PO4- 120AH
Led Chip	48PCS SMD 5054	72PCS SMD 5054	96PCS SMD 5054	120PCS SMD 5054
Material	Aluminum Die - Casting+Optical Lens			
IP Rate	IP 65	IP 65	IP 65	IP 65
Radar Sensing	YES	YES	YES	YES
Charging Time	4-6h	4-6h	4-6h	4-6h
Color Temperature	3000-7500K	3000-7500K	3000-7500K	3000-7500K
Lamp Size	970*415*130mm	1200*415*130mm	1450*415*130mm	1720*415*130mm
Installation Height	6-7M	6-8M	7-10M	8-12M
Irradiation Area	400m ²	500m ²	600m ²	700m ²





ALUMINUM PROFILE INTEGRATED SOLAR STREET LAMP




PRODUCT PARAMETERS

Model	ZLMZ80-200W	ZLMZ80-300W	ZLMZ80-400W	ZLMZ80-500W
Control Mode	Light Control+ Remote Control			
Solar Panel	5V/65W	5V/85W	5V/100W	5V/120W
Battery	LiFe PO4- 60AH	LiFe PO4- 80AH	LiFe PO4- 100AH	LiFe PO4- 120AH
Led Chip	48PCS SMD 5054	72PCS SMD 5054	96PCS SMD 5054	120PCS SMD 5054
Material	Aluminum Die - Casting+ Optical Lens			
IP Rate	IP 65	IP 65	IP 65	IP 65
Radar Sensing	YES	YES	YES	YES
Charging Time	4-6h	4-6h	4-6h	4-6h
Color Temperature	3000-7500K	3000-7500K	3000-7500K	3000-7500K
Lamp Size	970*415*130mm	1200*415*130mm	1450*415*130mm	1720*415*130mm
Installation Height	6-7M	6-8M	7-10M	8-12M
Irradiation Area	400m ²	500m ²	600m ²	700m ²





ALUMINUM PROFILE INTEGRATED SOLAR STREET LAMP



PRODUCT PARAMETERS

Model	ZLTY28-300W	ZLTY28-400W	ZLTY28-500W	ZLTY28-600W
Control Mode	Light Control+ Remote Control			
Solar Panel	MONO(5V/55W)	MONO(5V/70W)	MONO(5V/80W)	MONO(5V/90W)
Battery	LiFe PO4-3.2V/ 54000mAh	LiFe PO4-3.2V/ 60000mAh	LiFe PO4-3.2V/ 72000mAh	LiFe PO4-3.2V/ 84000mAh
Led Chip	54PCS SMD 5054	72PCS SMD 5054	108PCS SMD 5054	126PCS SMD 5054
Material	Aluminum Die - Casting+ Optical Lens			
IP Rate	IP 65	IP 65	IP 65	IP 65
Radar Sensing	YES	YES	YES	YES
Charging Time	4-6h	4-6h	4-6h	4-6h
Color Temperature	3000-7500K	3000-7500K	3000-7500K	3000-7500K
Lamp Size	900*350*82mm	1050*375*82mm	1250*375*82mm	1450*375*82mm
Installation Height	6-7M	7-8M	8-9M	9-10M
Irradiation Area	460m ²	520m ²	580m ²	640m ²





Solar Wall Washer Light

Efficient Solar-Powered Outdoor Lighting



Solar Corrugated Light

Energy-saving LED, IP65 waterproof,
suitable for outdoor decoration



Solar-Powered Mosquito Killer Lamp

Eco-Friendly & Efficient Pest Control



Solar Charging

IP65 Waterproof

360° Mosquito Attraction

A tall, silver garden light pole stands in a lush garden. The light fixture is a hexagonal shape with a solar panel on top and a clear, ribbed glass cover. The background features a blue sky with white clouds, green trees, and a stone path. Another similar light fixture is visible in the distance.

Solar Garden light





SELDAR FAN Solar Fan





DC-01



DC-02



DC-03



DC-04



DC-05



DC-06



DC-07



DC-08



DC-09



DW-01



DW-02



DW-03



DW-04



DW-05



DW-06



Gadgely

Icon 1: [Symbol] Description for the first feature.

Icon 2: [Symbol]

Icon 3: [Symbol] Description for the third feature.

Icon 4: [Symbol] Description for the fourth feature.

Icon 5: [Symbol] Description for the fifth feature.

Icon 6: [Symbol]

SHORT REVIEW

SOLAR CAMRA



SOLAR CAMA

STREET LIGHT

